Noridian Healthcare Solutions Palmetto National Government Services Wisconsin Physicians Service Insurance

SmithNephew

Key Updates to Future Effective Local Coverage Determinations (LCDs) for Skin Substitutes effective April 13, 2025

Covered products and Indications for Use	Q4133 GRAFIX°, GRAFIX PL° and STRAVIX° Q4102 OASIS® Wound Matrix	Chronic, non-infected DFU having failed to achieve at least 50% ulcer area reduction with documented standard of care (SOC) treatment for a minimum of 4 weeks with documented patient compliance	
	Q4102 OASIS Wound Matrix	Chronic, non-infected VLU having failed to respond to documented SOC treatment for a minimum of 4 weeks with documented patient compliance	
Treatment guidelines	Future effectiv	e LCD	
Duration of Ulcer	DFU and VLU 4	DFU and VLU 4 weeks	
Minimum wound size	No minimum	No minimum	
Treatment period		12-16 weeks; Any treatment beyond 12 weeks requires documentation of progression toward wound closure	
Retreatment		Retreatment is allowed of a previously treated and healed wound, following an additional 4 weeks of SOC	
Number of applications	Maximum of 8,	Maximum of 8, for more than 4 applications, attach the KX modifier to the HCPCS code	
Product change Allowed, the		tal number of applications or treatments must not exceed 8	
Prior authorization	Not required		
Approved diagnosis codes		Diagnosis must include an ICD-10 code from the approved Group 1 or Group 2 list, as well as a diagnosis code to identify the site and severity of the ulcer	
	Use QR code be	elow to refer to Diagnosis Lists in Billing and Coding Articles	
Treatment of wound with exposed structure	Yes, GRAFIX is l	abeled for use over exposed tendon, muscle or bone	
KX Modifier documentation	requirements Future effectiv	e LCD	
	that the medica	ot a limitation but serves as an attestation from the provider showing al necessity requirements have been met. umentation should include:	
	- Explanation	of why extended time or additional applications is medically necessary	
		atment plan has resulted in wound healing and expectation that wound e to heal with this plan	
		mated time for extended treatment, number of additional applications , and plan of care if healing is not achieved as planned	
	- Modifiable r	risk factors are being addressed to improve likelihood of healing	
		leg ulcers, it is expected that appropriate consultation and management I for diagnosis and stabilization of any venous related disease	

